



**Easily stack higher in the future.**

With the four telehandlers from Wacker Neuson.

**COMFORTABLE**


**NEW**

**MANEUVERABLE**

**PRECISE**

**NEW**

**RELIABLE**






The telehandlers from Wacker Neuson:

## Built to exceed your needs.


MASTER THE CHALLENGES OF YOUR EVERYDAY WORK – WITH THE POWERFUL TELEHANDLERS FROM WACKER NEUSON. A PERFECT RATIO OF LIFT HEIGHT, VEHICLE WIDTH AND ENGINE OUTPUT GUARANTEES YOU A HIGH POWER DELIVERY, MAXIMUM STABILITY AND EXTREME MANEUVERABILITY WITH ALL FOUR MACHINES.

WITH THE **TWO NEW MODELS TH408 AND TH522**, YOU WILL NOW FIND THE RIGHT HELPER FOR NEARLY ANY APPLICATION – WITH THE **TH408**, EVEN THE **MOST COMPACT OF ITS KIND**.

### New models for even more possibilities – build on our versatile telehandlers.




**A machine for indoors and outdoors.** Whether in buildings, rough terrain or low passages – use all four models in the tightest of spaces thanks to a height and width of less than 2 meters.



**Small turning radius, big output.** All Wacker Neuson telehandlers have particularly small inner radii from 595 mm – ideal for using them in a varied manner almost everywhere.



**More view, more safety.** An excellent view of the attachment improves handling for your operator and therefore also increases safety when lifting, lowering or stacking.



**Work more safely than ever.** The innovative driver assistance system VLS (Vertical Lift System) switches on semi-automatically and intelligently in the motion of telescoping if, for example, there is a risk of overload. It lowers the telescopic arm or retracts without interrupting work. This provides security and comfort with simultaneous efficiency.



**Easy to transport.** Take both compact models TH408 and TH412 with you conveniently and safely on your trailers – including attachments.



Wacker Neuson distinguishes particularly economical or environmentally-friendly products with the ECO label, such as the telehandler equipped with VLS.

You can learn more about the Wacker Neuson ECO label at [www.wackerneuson.com/eco](http://www.wackerneuson.com/eco)

### The matching telehandler from Wacker Neuson for every application.



**BUCKET MODE**

Efficient handling of bulk goods: Thanks to VLS, the telehandler does not enter into the overload range, even when transporting heavy materials.



**STACKING MODE**

Exact positioning of pallets: At an angle of inclination of over 40°, the loading system is automatically retracted while lowering thanks to the VLS.



You can find more information at  
[www.wackerneuson.com](http://www.wackerneuson.com)

**TH408**  
 4,145 mm max. lift height  
 800 kg max. payload

Extremely  
 small turning  
 radius



**TH412**  
 4,503 mm max. lift height  
 1,200 kg max. payload

**TH408**  
 Very big for you,  
 even in the smallest space.

With the compact TH408, you are getting the smallest telehandler on the market. With its power and efficiency, it will excite you like a big telehandler.

19.2 kW / 26 hp	Power output
2,270 kg	Operating weight
1,413 mm	Width
1,900 mm	Height with cabin
595 mm	Inner turning radius

**TH412**  
 Everywhere you need it.

Versatile in use and easy to transport – with the maneuverable TH412, discover new application areas in the smallest spaces and in narrow passages.

22.6 kW / 31 hp	Power output
2,700 kg	Operating weight
1,560 mm	Width
1,940 mm	Height with cabin
821 mm	Inner turning radius

**TH522**  
 5,471 mm max. lift height  
 2,200 kg max. payload



**TH522**  
 Combines power and  
 maneuverability for you.

The comfortable TH522 wins over through a perfect combination of powerful engine output and a high level of maneuverability. Whether indoors or outdoors – you can rely on this telehandler.

36.3 kW / 49 hp	Power output
4,200 kg	Operating weight
1,808 mm	Width
1,950 mm	Height with cabin
1,193 mm	Inner turning radius

**TH625**  
 6,080 mm max. lift height  
 2,500 kg max. payload



**TH625**  
 Moves a great deal  
 very far up for you.

With the powerful TH625, experience the concentrated Wacker Neuson power in the 2x2 meter class. Whether with material transport or stacking – this powerful all-rounder moves a great deal for you.

50 kW / 68 hp	Power output
5,055 kg	Operating weight
1,960 mm	Width
1,980 mm	Height with cabin
1,700 mm	Inner turning radius





**WACKER  
NEUSON**

## Find the right solution for every application.

With versatile attachments from Wacker Neuson.

With a variety of attachments, Wacker Neuson offers you plenty of ways to optimally utilize your telehandler.

**Your sales consultant will be happy to show you our entire offer.**


### You can find a selection of our attachments here.



Earth bucket



4-in-1-bucket




Light materials  
bucket



Side dump bucket



Stone bucket



Pallet fork



Sweeper



Snowplow



Small salt / gravel  
spreader

Your contact partner

[www.wackerneuson.com](http://www.wackerneuson.com)